



# Technical Data

## Co-Axial, Satellite & Triplex Outlets


### Brief product description:

The BG Nexus Metal range has a sleek and slim profile with softly rounded edges that portrays a premium look, and is available in a wide range of finishes to cater for all tastes.

### Features:

- Sleek and slim profile with softly rounded edges
- Fixed integrated plastic gasket to protect metal edges from moisture
- Colour matched fixing screws

### Product Images






# Co-Axial, Satellite & Triplex Outlets

## Technical Specifications

Standard(s)	BS3041 & BS5733, additionally BS 6312-2 for Nxx68
RoHS Directive	Yes
WEEE Directive	Yes
Mounting Box Depth (Min)	25mm (Nxx60, Nxx61, Nxx62, Nxx63, Nxx64, Nxx65, Nxx66 products) 35mm (Nxx67, Nxx68, Nxx69 products)
Fixing Centres	60.3mm (Nxx60, Nxx61, Nxx62, Nxx63, Nxx64, Nxx65, Nxx66, Nxx67 products) 120.6mm (Nxx68, Nxx69 products)



## Line Diagrams





# Co-Axial, Satellite & Triplex Outlets

## Packaging Information

Cat No.	Description	Packaging Type			Pack Quantity			Barcode		
		Product	Inner Box	Outer Box	Each	Inner Box	Outer Box	Individual	Inner Box	Outer Box
NAB60	1G COAX AB	Eco Blister	Printed Box	Printed Box	1	5	50	5050765044448	5050765166447	5050765168946
NBI60	1G COAX BI	Eco Blister	Printed Box	Printed Box	1	5	50	5050765044608	5050765166843	5050765169233
NMB60	1G COAX MB	Eco Blister	Printed Box	Printed Box	1	5	50	5050765200264	5050765167925	5050765170093
NBN60	1G COAX BN	Eco Blister	Printed Box	Printed Box	1	5	50	5050765023344	5050765023719	5050765024082
NBS60	1G COAX BS	Eco Blister	Printed Box	Printed Box	1	5	50	5050765019033	5050765019408	5050765019774
NPC60	1G COAX PC	Eco Blister	Printed Box	Printed Box	1	5	50	5050765020145	5050765020510	5050765020886
NPR60	1G CO-AX PR	Eco Blister	Printed Box	Printed Box	1	5	50	5050765200127	5050765168557	5050765170635
NBN61	2G COAX BN	EM - Bagged	-	-	1	-	-	5050765023351	-	-
NBS61	2G COAX BS	EM - Bagged	-	-	1	-	-	5050765019040	-	-
NPC61	2G COAX PC	EM - Bagged	-	-	1	-	-	5050765020152	-	-
NBN62	1G ISO COAX BN	EM - Bagged	-	-	1	-	-	5050765145046	-	-
NBS62	1G ISO COAX BS	EM - Bagged	-	-	1	-	-	5015056535517	-	-
NPC62	1G ISO COAX PC	EM - Bagged	-	-	1	-	-	5015056535548	-	-
NBN63	2G ISO COAX BN	EM - Bagged	-	-	1	-	-	5050765145107	-	-
NBS63	2G ISO COAX BS	EM - Bagged	-	-	1	-	-	5050765145060	-	-
NPC63	2G ISO COAX PC	EM - Bagged	-	-	1	-	-	5050765145084	-	-
NBN64	1G SAT BN	EM - Bagged	-	-	1	-	-	5050765106580	-	-
NBS64	1G SAT BS	EM - Bagged	-	-	1	-	-	5050765042888	-	-
NPC64	1G SAT PC	EM - Bagged	-	-	1	-	-	5050765042901	-	-
NBN65	2G SAT + COAX BN	EM - Bagged	-	-	1	-	-	5050765023368	-	-
NBS65	2G SAT + COAX BS	EM - Bagged	-	-	1	-	-	5050765019057	-	-
NPC65	2G SAT + COAX PC	EM - Bagged	-	-	1	-	-	5050765020169	-	-
NBN66	2G DIPLEX TV/FM BN	EM - Bagged	-	-	1	-	-	5050765023375	-	-
NBS66	2G DIPLEX TV/FM BS	EM - Bagged	-	-	1	-	-	5050765019064	-	-
NPC66	2G DIPLEX TV/FM PC	EM - Bagged	-	-	1	-	-	5050765020176	-	-
NBN67	3G TV/FM/SAT-SCR BN	EM - Bagged	-	-	1	-	-	5050765145160	-	-
NBS67	3G TV/FM/SAT-SCR BS	EM - Bagged	-	-	1	-	-	5050765145121	-	-
NPC67	3G TV/FM/SAT-SCR PC	EM - Bagged	-	-	1	-	-	5050765145145	-	-
NBN68	TRIP+BT+COAX RET-SCR BN	EM - Bagged	-	-	1	-	-	5050765145220	-	-
NBS68	TRIP+BT+COAX RET-SCR BS	EM - Bagged	-	-	1	-	-	5050765145183	-	-
NPC68	TRIP+BT+COAX RET-SCR PC	EM - Bagged	-	-	1	-	-	5050765145206	-	-
NBN69	QUAD+BT+COAX RET-SCR BN	EM - Bagged	-	-	1	-	-	5050765145282	-	-
NBS69	QUAD+BT+COAX RET-SCR BS	EM - Bagged	-	-	1	-	-	5050765142199	-	-
NPC69	QUAD+BT+COAX RET-SCR PC	EM - Bagged	-	-	1	-	-	5050765145260	-	-

### Colour Reference:

AB = Antique Brass, BI = Brushed Iridium, BN = Black Nickel, BS = Brushed Steel, MB = Matt Black, PC = Polished Chrome, PR = Pearl Nickel

## Weights & Dimensions

Cat No.	Description	Dimensions (H x W x D) cm				Weight (kg)				CBM (m <sup>3</sup> )
		Unpacked Product	Packed Product	Inner Box	Outer Box	Unpacked Product	Packed Product	Inner Box	Outer Box	Outer Box
N**60	1G CO-AX	8.6 x 8.6 x 2.0	15.3 x 12.0 x 2.7	20.7 x 12.7 x 9.2	22.6 x 26.3 x 48.3	0.081	0.102	0.57	5.98	0.02871
N**61	2G CO-AX	8.6 x 8.6 x 2.0	17.5 x 11.5 x 2.2	-	-	0.113	0.117	-	-	-
N**62	1G ISO CO-AX	8.6 x 8.6 x 2.0	17.5 x 11.5 x 2.2	-	-	0.102	0.106	-	-	-
N**63	2G ISO CO-AX	8.6 x 8.6 x 2.0	17.5 x 11.5 x 2.2	-	-	0.090	0.094	-	-	-
N**64	1G SAT	8.6 x 8.6 x 2.7	17.5 x 11.5 x 2.9	-	-	0.102	0.106	-	-	-
N**65	2G SAT + CO-AX	8.6 x 8.6 x 2.7	17.5 x 11.5 x 2.9	-	-	0.111	0.115	-	-	-
N**66	2G DIPLEX TV/FM	8.6 x 8.6 x 3.2	17.5 x 11.5 x 3.4	-	-	0.140	0.144	-	-	-
N**67	3G TRIPLEX TV/FM/SAT	8.6 x 8.6 x 3.8	17.5 x 11.5 x 4.0	-	-	0.140	0.144	-	-	-
N**68	TRIP + BT + CO-AX RET	8.6 x 14.6 x 3.8	19.5 x 12.0 x 4.0	-	-	0.250	0.254	-	-	-
N**69	QUAD + BT + CO-AX RET	8.6 x 14.6 x 3.9	19.5 x 12.0 x 4.1	-	-	0.253	0.257	-	-	-