



**ABD/SC**



## Features

IP65 solid die-cast aluminium construction.

Supplied with MR16 and GU10 lampholders.

Clear glass.

## General Information

---

Lamp Type	MR16 or GU10
Colour / Finish	Satin Chrome
OCTO Compatibility	Smart Indoor controller
IP Rating	IP65
Class Protection	1 & 3
Bathroom Zone	1 & 2
Internal / External	Internal
Surface / Recessed / Suspended	Recessed
CE Mark	Yes
Diameter (mm)	88
Height (mm)	110

---

## Technical Information

---

Wattage	50W
---------	-----

---

## Technical Data - ETIM - Downlight/spot/floodlight (EC001744)

Suitable for surface mounting	No
Suitable for built-in mounting	Yes
Suitable for wall mounting	No
Suitable for suspended mounting	No
Suitable for ceiling mounting	Yes
Suitable for traverse mounting	No
Suitable for pedestal/floor mounting	No
Suitable for light-track mounting	No
Adjustability	Not adjustable
With movement sensor	No
With light sensor	No
With light source	No
Suitable for number of lamps	1
Material housing	Aluminium
Colour housing	Chrome
Degree of protection (IP)	IP65
Max. system power	50 W
Height/depth	110 mm
Outer diameter	88 mm

Datasheet generated from <https://onetimepim.com> last updated Tuesday, December 1, 2020 9:47:36 AM

